

BENUTZERHANDBUCH

USER MANUAL DE | EN



USB3.0 SATA6G AdapterDOCK SSD HDD

USB 3.0 zu SATA Adapter
Für 2,5" & 3,5" HDD/SSDs
& 5,25" BLU-RAY/DVD/CD



LIEFERUMFANG:

Ihre Verpackung enthält folgende Bestandteile:



FANTEC USB3.0 SATA6G AdapterDOCK
Netzteil
Benutzerhandbuch
Garantiekarte

USB3.0 SATA6G ADAPTERDOCK SSD HDD :

USB 3.0 Kabel (USB 2.0 kompatibel)


Für Datentransfer bis zu 5 Gbit/s

LED zur Anzeige von
Betrieb und Zugriff



DC IN 12V \equiv 2A \ominus \oplus

Für 3,5" HDD &
5,25" Blu-Ray/DVD/CD*



SATA I/II/III 6G Anschluss

Für 2,5" & 3,5" HDD/SSDs
+ 5,25" Blu-Ray/DVD/CD


SPEZIFIKATIONEN:

Unterstützte Geräte:	SATA I/II/III HDD/SSDs & BLU-RAY/DVD/CD
Gerätegröße:	2,5" / 3,5" / 5,25"
Interne Schnittstelle:	SATA 6 Gbit/s
Externe Schnittstelle:	Superspeed USB 3.0 (abwärts kompatibel mit USB 2.0 und 1.1)
Spannungsversorgung:	Netzteil, 12 V / 2 A
Material:	Kunststoff
Abmessungen (LxBxH):	71mm x 46,8mm x 14mm
Unterstützte Betriebssysteme:	Windows® 8.1,10 Mac OS X, Linux

FESTPLATTEN INSTALLATION:

Für 2,5" HDDs ist kein Netzteil notwendig.

Für 3,5" HDD & 5,25" Blu-Ray/DVD/CD ist ein 12V/2A Netzteil notwendig.



KONTAKT & TECHNISCHER SUPPORT:

Sehr geehrter Kunde,
vielen Dank, dass Sie sich für unser Produkt entschieden haben. Unsere Produkte werden mit größter Sorgfalt entwickelt und produziert, um ein Höchstmaß an Qualität bieten zu können.

1. Bitte lesen Sie das Handbuch
2. Sollte ein Problem weiterhin bestehen, wenden Sie sich bitte an unsere Serviceabteilung.

- per Telefon unter der Nummer:

+49 (0)40 73 09 283 56

Erreichbar von Montag - Freitag 9.00 - 17.00 Uhr

- oder per E-Mail an:

service@fantec.de

Anschrift für RMA Sendungen:

**FANTEC GmbH
Abteilung RMA/Service
Billwerder Billdeich 605B
21033 Hamburg**



Konformitätserklärung:

<http://www.fantec.de/unternehmen/bestimmungenrichtlinien/ce/>

PACKAGE CONTENT:

Your package contains the following components:




FANTEC USB3.0 SATA6G AdapterDOCK
Power supply
Manual
Warranty Card

AD-U3SA SATA ADAPTER:

USB 3.0 cable (USB 2.0 compatible)


For data transfer up to 5 Gbps

LED indicator for
power and access



DC IN 12V \equiv 2A

For 3.5" HDD &
5.25" Blu-Ray/DVD/CD*



SATA I/II/III 6G Connector

For 2.5" & 3.5" HDD/SSDs
+ 5.25" Blu-Ray/DVD/CD*


SPECIFICATIONS:

Device Support:	SATA I/II/III HDD/SSDs & BLU-RAY/DVD/CD
Device Size:	2.5" / 3.5" / 5.25"
Internal Interface:	SATA 6 Gbps
External Interface:	Superspeed USB 3.0 (Downwards compatible to USB 2.0 and 1.1)
Power Supply:	DC 12 V / 2 A
Material:	Plastic
Dimensions (L/W/H):	71mm x 46.8mm x 14mm
OS Support	Windows® 8.1,10 Mac OS X, Linux

DISK INSTALLATION:

For 2.5" HDDs is no extra power adapter for usage needed.

For 3.5" HDDs & 5,25" Blu-Ray/DVD/CD is a 12V/2A power supply needed.



CONTACT & TECHNICAL SUPPORT:

Dear customer,
thank you for choosing our product. Our products are developed and produced with the greatest diligence in order to provide the highest level of quality.

1. Please read the manual or visit our Technic & Support Forum:
2. If the problem persists, please contact our services department via E-Mail:

service@fantec.de

Address for warranty return shipments:

FANTEC GmbH
Abteilung RMA/Service
Billwerder Billdeich 605B
21033 Hamburg
Germany



Declaration of conformity:

<http://www.fantec.de/unternehmen/bestimmungenrichtlinien/ce/>